

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	104	substrate and elecrode and (light or laser)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	57391	transparent near3 electrode	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	23	1 and 2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	28975	substrate and (light or laser) and 2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	18965	liquid and 4	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	12413	(uneven or sawtooth\$2 or jagged or step\$2) and 5	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	641	index near2 refraction and 6	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	597	electric\$4 and 7	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L9	105	liquid near5 (mov\$3 or shif\$3 or flow\$3) and 8	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B